

R&S® ESSENTIALS

# TODAY'S SOLUTION FOR TOMORROW'S CHALLENGE

Save up to 46% on the most popular T&M instrument configurations



In cooperation with



UP TO **46% OFF**  
R&S® ESSENTIALS

Order before  
September 30, 2024

[www.rohde-schwarz.com/complete-promotion](http://www.rohde-schwarz.com/complete-promotion)

**ROHDE & SCHWARZ**

Make ideas real



# PROMOTIONAL OFFER AT A GLANCE

Save up to 46% on the most popular configurations of T&M instrument configurations from Rohde & Schwarz. This promotional offer includes all essential instruments found on an engineer's workbench: oscilloscopes, DC power supplies, spectrum and antenna analyzers, signal generators, LCR meters and source measure units (SMU).

Rohde & Schwarz has carefully chosen the optimal configurations so that our customers will not need to invest in future upgrades to meet tomorrow's test and measurement challenges.

We offer:

- ▶ Options included upfront at point of purchase
- ▶ No configuration necessary – we take care of it
- ▶ Single price for each instrument, no upgrades needed
- ▶ Maximum bench performance and maximum savings

**Offer valid until September 30, 2024**

### Oscilloscopes up to 46% off

- ▶ Up to 1.5 GHz bandwidth
- ▶ Up to 4.5 million waveforms/s real-time update rate
- ▶ Up to 5 Gsample/s sample rate
- ▶ 400 Mpoints per channel standard memory
- ▶ 12-bit ADC at all sample rates



### DC power supplies up to 19% off

- ▶ Up to 4 channels
- ▶ Up to 800 W maximum output power
- ▶ Electrically equivalent channels
- ▶ Max. voltage: 4 x 64 V/channel
- ▶ Max. current: 4 x 10 A/channel or 40 A in total



### Spectrum analyzers up to 27% off

- ▶ Frequency range: 5 kHz to 26.5 GHz
- ▶ DANL: typ. -163 dBm
- ▶ Phase noise: typ. -108 dBc (1 Hz)
- ▶ Intuitive operation
- ▶ Small test bench footprint



### Source measure unit 13% off

- ▶ Two quadrants: operate as source and sink
- ▶ High-speed data acquisition
- ▶ Voltage priority and current priority mode
- ▶ High-capacitance mode
- ▶ Fast load regulation
- ▶ Battery simulation



### Vector signal generator 13% off

- ▶ Frequency range: 8 kHz to 3 GHz
- ▶ Max. output level of typ. > +25 dBm
- ▶ Full software option defined vector signal generator with 5" touchscreen
- ▶ Modulation bandwidth up to 240 MHz



### LCR meter 10% off

- ▶ Max. test frequency: up to 10 MHz
- ▶ Max. bias voltage: up to 40 V
- ▶ Sweep and binning measurement functions
- ▶ Basic accuracy of  $\pm 0.05\%$



# UP TO 46 % SAVINGS ON THE MOST POPULAR CONFIGURATIONS

## Oscilloscopes

Model	Bandwidth, channels	Product bundle description	List price Europe	Discount
R&S®RTC-BNDL	300 MHz, 2 analog channels	R&S®RTC1002: ARB generator, I <sup>2</sup> C/SPI trigger and decode, UART/RS-232 trigger and decode, CAN/LIN trigger and decode	EUR 2,620 EUR 1,740	34%
R&S®RTB-BNDL	300 MHz, 4 analog channels	R&S®RTB2004: ARB generator, I <sup>2</sup> C/SPI trigger and decode, UART/RS-232 trigger and decode, CAN/LIN trigger and decode, history and segment memory, frequency response analysis (Bode plot)	EUR 6,370 EUR 3,700	42%
R&S®RTM-BNDL <sup>1)</sup>	500 MHz, 4 analog channels	R&S®RTM3004: ARB generator, I <sup>2</sup> C/SPI trigger and decode, UART/RS-232 trigger and decode, CAN/LIN trigger and decode, I <sup>2</sup> S trigger and decode, MIL-STD-1553 trigger and decode, ARINC 429 trigger and decode, history and segmented memory, power analysis, frequency response analysis (Bode plot), spectrum analysis and spectrogram	EUR 17,450 EUR 9,490	46%
R&S®RTA-BNDL	1 GHz, 4 analog channels	R&S®RTA4004: ARB generator, I <sup>2</sup> C/SPI trigger and decode, UART/RS-232 trigger and decode, CAN/LIN trigger and decode, I <sup>2</sup> S trigger and decode, MIL-STD-1553 trigger and decode, ARINC 429 trigger and decode, history and segmented memory, power analysis, frequency response analysis (Bode plot), spectrum analysis and spectrogram	EUR 22,130 EUR 12,490	44%
R&S®MXO4-BNDL	1.5 GHz, 4 analog channels	MXO 44: ARB generator, low speed serial buses, automotive protocols, frequency response analysis (Bode plot), power analysis	EUR 31,600 EUR 19,900	37%

<sup>1)</sup> Promotion bundle will not support keycode bandwidth upgrade to 1 GHz. The Rohde&Schwarz Service Center will handle the upgrade.

## DC power supplies

Model	Output channels	Maximum output power	Product bundle description	List price Europe	Discount
R&S®NGE-COM3b	3	100 W	R&S®NGE103B: Ethernet remote control, digital trigger I/O	EUR 1,460 EUR 1,180	19%
R&S®NGM-COM2b	2	120 W	R&S®NGM202: digital trigger I/O, digital voltmeter functionality, battery simulation	EUR 7,400 EUR 6,650	10%
R&S®NGP824-COMb	4	800 W	R&S®NGP824: 64 V/10 A, digital trigger I/O, analog input	EUR 5,695 EUR 5,110	10%
R&S®NGA142COMb	2	80 W	R&S®NGA142: digital trigger I/O	EUR 1,935 EUR 1,750	10%
R&S®HMP4040COM	2	160 W	R&S®HMP4040: dual interface (USB/Ethernet)	EUR 3,115 EUR 2,800	10%

## Handheld analyzers

Model	Frequency range	Product bundle description	List price Europe	Discount
R&S®FPH-INH8	5 kHz to 8 GHz	R&S®FPH: preamplifier, interference analysis, maps	EUR 13,003 EUR 9,800	25%
R&S®ZPH-COM2	2 MHz to 4 GHz	R&S®ZPH: preamplifier, spectrum analysis, interference analysis, signal strength mapping, modulation analysis, power sensor support, channel power meter, pulse measurements with power sensor	EUR 16,217 EUR 11,350	30%

## Spectrum analyzers

Model	Frequency range	Product bundle description	List price Europe	Discount
R&S®FPC-COM2	5 kHz to 3 GHz	R&S®FPC1500: preamplifier, modulation analysis, vector network analysis, receiver mode, advanced measurements	EUR 8,206 EUR 6,150	25 %
R&S®FPL-EMI3	5 kHz to 3 GHz	R&S®FPL1003: additional interfaces, internal generator, RF preamplifier, EMI measurement application	EUR 18,284 EUR 13,700	25 %
R&S®FPL-EMI7	5 kHz to 7.5 GHz	R&S®FPL1007: additional interfaces, internal generator, RF preamplifier, EMI measurement application	EUR 23,042 EUR 16,820	27 %
R&S®FPL1007-TG	5 kHz to 7.5 GHz	R&S®FPL1007: OCXO reference frequency, additional interfaces, internal generator, RF preamplifier, 1 dB steps for electronic attenuator	EUR 23,200 EUR 17,400	25 %
R&S®FPL1007-P1	5 kHz to 7.5 GHz	R&S®FPL1007: OCXO reference frequency, additional interfaces, RF preamplifier, 1 dB steps for electronic attenuator	EUR 19,150 EUR 14,350	25 %
R&S®FPL1014-P1	5 kHz to 14 GHz	R&S®FPL1014: OCXO reference frequency, additional interfaces, RF preamplifier, 1 dB steps for electronic attenuator	EUR 32,050 EUR 23,950	25 %
R&S®FPL1026-P1	5 kHz to 26.5 GHz	R&S®FPL1026: OCXO reference frequency, additional interfaces, RF preamplifier, 1 dB steps for electronic attenuator	EUR 37,140 EUR 27,900	25 %

## Source measure unit

Model	Output channel	Product bundle description	List price Europe	Discount
R&S®NGU201COM	1	R&S®NGU201: two-quadrant source measure unit, digital trigger I/O, digital voltmeter function, battery simulation	EUR 9,110 EUR 7,900	13 %

## Vector signal generator

Model	Frequency range	Product bundle description	List price Europe	Discount
R&S®SMCV100BP2	4 kHz to 3 GHz	R&S®SMCV100B: AM/FM/φM (via baseband), pulse modulation, custom digital modulation	EUR 13,550 EUR 11,800	13 %

## LCR meter

Model	Maximum frequency	Basic accuracy	Product bundle description	List price Europe	Discount
R&S®LCX200COM	10 MHz	±0.05 % for impedance measurements; ±0.03° for phase measurements	R&S®LCX200: advanced analysis option, binning option, extended bias option	EUR 16,740 EUR 15,000	10 %

**Service at Rohde & Schwarz**  
**You're in great hands**

- ▶ Worldwide
- ▶ Local and personalized
- ▶ Customized and flexible
- ▶ Uncompromising quality
- ▶ Long-term dependability

You can find all of these promotional offers at our authorized distributors in your country.

**Rohde & Schwarz representative**



[www.soselectronic.com](http://www.soselectronic.com)

**Rohde & Schwarz**

The Rohde & Schwarz technology group is among the trail-blazers when it comes to paving the way for a safer and connected world with its leading solutions in test & measurement, technology systems and networks & cybersecurity. Founded 90 years ago, the group is a reliable partner for industry and government customers around the globe. The independent company is headquartered in Munich, Germany and has an extensive sales and service network with locations in more than 70 countries.

[www.rohde-schwarz.com](http://www.rohde-schwarz.com)

**Sustainable product design**

- ▶ Environmental compatibility and eco-footprint
- ▶ Energy efficiency and low emissions
- ▶ Longevity and optimized total cost of ownership

Certified Quality Management  
**ISO 9001**

Certified Environmental Management  
**ISO 14001**

**Rohde & Schwarz training**

[www.training.rohde-schwarz.com](http://www.training.rohde-schwarz.com)

**Rohde & Schwarz customer support**

[www.rohde-schwarz.com/support](http://www.rohde-schwarz.com/support)



R&S® is a registered trademark of Rohde & Schwarz  
Trade names are trademarks of the owners  
PD 3609.5974.32 | Version 12.01 | March 2024 (sk)  
Today's solution for tomorrow's challenge  
Data without tolerance limits is not binding | Subject to change  
© 2019 - 2024 Rohde & Schwarz | 81671 Munich, Germany

